



TECHNICAL INFORMATION

INVESTIGATION INTO THE EFFECTS OF CONNECTING TANTALUM CAPACITORS IN SERIES

by J.A. Gill
AVX-Kyocera Group Company
Paignton
England
TQ4 7ER.

Abstract:

This paper demonstrates how high voltage capacitors can be made by connecting lower voltage rated parts in series. How to create large banks of capacitance by parallel and series combinations of capacitors without sacrificing reliability is also discussed.

INVESTIGATION INTO THE EFFECTS OF CONNECTING TANTALUM CAPACITORS IN SERIES

by J.A. Gill
AVX-Kyocera Group Company
Paignton
England
TQ4 7ER.

Introduction

Tantalum capacitors are being used as input filter capacitors in dc/dc converters and other types of power supply. The capacitors are thus likely to be subjected to both voltage and current transients.

An example application would be a 12 volt battery driving a portable PC. A 12 volt battery can vary in voltage from 9 volts to 18 volts depending on its state of charge. Thus if we apply the 50% derating rule, as recommended by tantalum capacitor manufacturers to increase dynamic reliability, the minimum input capacitor allowed would be a 35 volt part. A range of such

capacitors is available. But if the input is say 24 volts, no part is available which will keep the derate rule.

Discussion of results

20 TAJD22M25 parts were characterized for capacitance at 120 Hertz, DF at 120 Hertz, ESR at 100 KHz and leakage current at 25 volts. The parts were then connected in series with parts 1 and 2 forming one unit, 3 and 4 another and so on. These units were then characterized for the same parameters together with 10 pieces of TAJD10M35. The results are shown in table 1.

Table 1

(a) 20 pieces of TAJD22M25

Sample no.	Cap@ 120Hz (µF)	DF @ 120Hz	ESR @ 100KHz(Ohms)	DCL @ 25V (µA)
1	21.98	1.89	0.105	0.062
2	21.40	1.77	0.105	0.054
3	21.30	0.59	0.109	0.270
4	21.84	1.76	0.107	0.104
5	22.91	2.28	0.124	0.062
6	22.51	2.15	0.129	0.060
7	22.14	1.79	0.114	0.056
8	21.70	1.81	0.108	0.064
9	22.32	2.14	0.124	0.063
10	21.13	0.62	0.110	0.040
11	22.35	2.35	0.157	0.064
12	23.32	2.09	0.118	0.126
13	22.58	1.62	0.106	0.192
14	22.10	1.75	0.105	0.077
15	22.31	1.77	0.100	0.064
16	21.35	0.59	0.105	0.039
17	21.93	1.97	0.108	0.060
18	22.91	1.81	0.104	0.059
19	23.15	1.95	0.121	0.176
20	22.03	1.79	0.105	0.113

(b) Parts in series

Sample no.	Cap @ 120Hz(μF)	DF@ 120Hz	ESR@ 100KHz(Ohms)	DCL@25V (μA)
1 (1+2)	10.87	1.60	0.197	0.021
2 (3+4)	10.81	0.97	0.199	0.034
3 (5+6)	11.40	2.02	0.237	0.028
4 (7+8)	11.00	1.67	0.203	0.026
5 (9+10)	10.88	1.13	0.214	0.020
6 (11+12)	11.46	2.07	0.240	0.030
7 (13+14)	11.22	1.62	0.191	0.041
8 (15+16)	10.94	0.96	0.187	0.022
9 (17+18)	11.24	1.76	0.246	0.028
10 (19+20)	11.33	1.69	0.212	0.037

(c) TAJD10M35 parts

Sample no.	Cap @ 120Hz (μF)	DF @ 120Hz	ESR @ 100KHz (Ohms)	DCL @ 25V (μA)
1	10.14	1.69	0.245	0.024
2	10.23	1.51	0.226	0.023
3	10.09	1.47	0.251	0.024
4	10.21	1.46	0.231	0.024
5	10.06	1.70	0.238	0.026
6	10.08	1.50	0.234	0.024
7	10.22	1.65	0.252	0.026
8	10.30	1.55	0.251	0.024
9	10.25	1.57	0.292	0.027
10	10.27	1.46	0.263	0.024

Adding the 22μF 25V parts 1 and 2 together would give a theoretical ESR of

$$\begin{aligned} \text{ESR} &= \text{ESR}_1 + \text{ESR}_2 \\ &= 0.105 + 0.105 \\ &= 0.210 \text{ Ohms} \end{aligned}$$

which when compared with the measured result gives good correlation. The capacitance of the part should be

$$\begin{aligned} 1/\text{Cap} &= 1/\text{Cap}_1 + 1/\text{Cap}_2 \\ 1/\text{Cap} &= 1/21.98\mu + 1/21.40\mu \\ \Rightarrow \text{Cap} &= 10.84\mu\text{F} \end{aligned}$$

Again this compares very well with the measured value.

The leakage of the series part is the best leakage of the two 22μF parts measured at a voltage of 12.5 Volts, i.e. half the input voltage.

The dynamic performance of a series combination and a 10μF part was then compared by causing a large transient current to flow. As can be seen from the results, figures 1 and 2, there is no discernible difference in the waveforms observed.

The final test performed was a voltage step stress test (VSST) style test where increasing voltage was applied to the capacitor under test until it had a leakage greater than 2000μA. The results are shown in table 2 and graphically in figure 2. VSST results are proportional to the rated voltage of a tantalum capacitor.

The results show, as expected, that the series parts have a higher breakdown voltage than the 10μF 35 volt part. Thus, they will perform better in an input capacitor application.

Figure 1(a)
Series Combination




Figure 1 (a)

Figure 1(a)
Series Combination






Figure 1 (b)

TAJD10M35



Series TAJD22M25s



Figures 2(a) and 2(b)

Sample number	Series combination	10 μ F 35V part
1	140 v	129 v
2	143 v	93 v
3	155 v	102 v
4	174 v	80 v
5	100 v	130 v
6	142 v	104 v
7	134 v	116 v
8	175 v	129 v
9	126 v	123 v
10	174 v	92 v

One important fact which should be noted is that the power ripple rating for two series parts is **twice** that for a single unit. Thus for example if a 10 μ F 35 volt part were specified as less than 300 milliohms, its maximum allowable ripple current at 25°C would be

$$P = I^2R \quad \text{thus} \quad I = \sqrt{\frac{P}{R}}$$

i.e.

$$\begin{aligned} \text{Ripple current} &= \text{SQRT}(150 \text{ mW} / 0.300 \text{ Ohms}) \\ &= 707 \text{ mA} \end{aligned}$$

for the series part P = 300 mW, thus

$$\begin{aligned} \text{Ripple current} &= \text{SQRT}(300 \text{ mW} / 0.300 \text{ Ohms}) \\ &= 1 \text{ Amp} \end{aligned}$$

Creating large capacitor banks

An attempt was made to produce a 66 μF 48V capacitor by using series and parallel combinations of capacitors. The capacitor used was a TPSE100M16. The first attempt schematic is shown in Figure 3.

The voltage across C1-C6 were investigated in order to determine what effect the differences in voltage may have on each capacitor's reliability. The results are shown in Table 3, together with the leakage current and capacitance at 120Hz of the capacitor in each location.

Table 3

Capacitor	Voltage (Volts)	DCL (μA)	Capacitance (μF)
C1	9.78	0.72	99.18
C2	10.07	0.56	96.76
C3	10.15	0.65	96.47
C4	9.73	0.60	98.79
C5	10.02	0.44	97.76
C6	10.25	0.72	95.58

As can be seen from the results in Table 3, the voltage drop across each capacitor appears to be independent of the leakage current, but inversely proportional to the capacitance. For example C4 has the largest capacitance in that series leg and V4 is the smallest, and C6 is the smallest capacitance but the largest voltage.

This is because of Coulomb's Law. If we consider the capacitors to be pure parallel plates the charge on the negative plate of C1 must have been drawn from the positive plate of C2, thus the charge on C1 is the same as C2, and so on through the chain. Coulomb's Law states

$$Q = CV$$

where Q = charge in Coulombs

C = capacitance in Farads

and V = voltage across capacitor in Volts

If rearranged this shows V to be inversely proportional to C , which is as was found.

Connection between capacitor nodes as shown in Figure 4, helps the capacitors current share when transient loads are switched, or the ripple current caused by filtering a voltage signal. This current sharing improves reliability by reducing the heating seen by each individual capacitor. The effective parallel capacitance of each pair and the measured voltages are shown in Table 4, which again demonstrates the inverse capacitance relationship.

Table 4

Capacitance Pair	Voltage (Volts)	Capacitance (μF)
C1//C4	9.70	197.97
C2//C5	9.98	194.52
C3//C6	10.30	192.05

The differences between the voltages across each of the capacitor pairs will adversely affect the reliability of the pair with the highest voltage (see Catalogue or AVX publication "Tantalum Capacitors Technical Summary" for further details). The introduction of a resistor ladder as shown in Figure 5, forces the voltage across each pair to be one third the supply voltage, thus each capacitor will have the same reliability figure.

A 66 μF 48V part can thus be made by using the configuration shown in Figure 5. This unit will have a high reliability factor.




Figure 3




Figure 4




Figure 5

Conclusion

A 50V part can be made by connecting two 25 volt parts in series. In the example chosen the series combination of two 22 μF 25V parts has the following characteristics when compared to 10 μF 35V parts.

- lower ESR levels
- similar leakage levels
- Higher breakdown voltage levels
- Higher capacitance levels
- Similar dynamic circuit performance

Very large capacitances can be successfully made by a combination of parallel and series connections.

Acknowledgements

AVX wishes to thank Milt Wilcox of Linear Technology Corporation for his technical contributions to this paper.

USA

**AVX Myrtle Beach, SC
Corporate Offices**
Tel: 843-448-9411
FAX: 843-626-5292

AVX Northwest, WA
Tel: 360-699-8746
FAX: 360-699-8751

AVX North Central, IN
Tel: 317-848-7153
FAX: 317-844-9314

AVX Mid/Pacific, MN
Tel: 952-974-9155
FAX: 952-974-9179

AVX Southwest, AZ
Tel: 480-539-1496
FAX: 480-539-1501

AVX South Central, TX
Tel: 972-669-1223
FAX: 972-669-2090

AVX Southeast, NC
Tel: 919-878-6223
FAX: 919-878-6462

AVX Canada
Tel: 905-564-8959
FAX: 905-564-9728

EUROPE

**AVX Limited, England
European Headquarters**
Tel: ++44 (0) 1252 770000
FAX: ++44 (0) 1252 770001

AVX S.A., France
Tel: ++33 (1) 69.18.46.00
FAX: ++33 (1) 69.28.73.87

AVX GmbH, Germany - AVX
Tel: ++49 (0) 8131 9004-0
FAX: ++49 (0) 8131 9004-44

AVX GmbH, Germany - Elco
Tel: ++49 (0) 2741 2990
FAX: ++49 (0) 2741 299133

AVX srl, Italy
Tel: ++390 (0)2 614571
FAX: ++390 (0)2 614 2576

AVX Czech Republic, s.r.o.
Tel: ++420 (0)467 558340
FAX: ++420 (0)467 558345

ASIA-PACIFIC

**AVX/Kyocera, Singapore
Asia-Pacific Headquarters**
Tel: (65) 258-2833
FAX: (65) 350-4880

AVX/Kyocera, Hong Kong
Tel: (852) 2-363-3303
FAX: (852) 2-765-8185

AVX/Kyocera, Korea
Tel: (82) 2-785-6504
FAX: (82) 2-784-5411

AVX/Kyocera, Taiwan
Tel: (886) 2-2696-4636
FAX: (886) 2-2696-4237

AVX/Kyocera, China
Tel: (86) 21-6249-0314-16
FAX: (86) 21-6249-0313

AVX/Kyocera, Malaysia
Tel: (60) 4-228-1190
FAX: (60) 4-228-1196

Elco, Japan
Tel: 045-943-2906/7
FAX: 045-943-2910

Kyocera, Japan - AVX
Tel: (81) 75-604-3426
FAX: (81) 75-604-3425

Kyocera, Japan - KDP
Tel: (81) 75-604-3424
FAX: (81) 75-604-3425

Contact:

NOTICE: Specifications are subject to change without notice. Contact your nearest AVX Sales Office for the latest specifications. All statements, information and data given herein are believed to be accurate and reliable, but are presented without guarantee, warranty, or responsibility of any kind, expressed or implied. Statements or suggestions concerning possible use of our products are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. The user should not assume that all safety measures are indicated or that other measures may not be required. Specifications are typical and may not apply to all applications.

© AVX Corporation



<http://www.avxcorp.com>

S-IECT2.5M1193-N